

IN THE CLAIMS

1. (Currently Amended) A hydraulic fluid comprising a lubricant base oil in combination with

- (a) from 0.001 to 5 at most 1 %wt of magnesium salicylate,
- (b) from 0.01 to 8 at most 1%wt of zinc dithiophosphate; and,
- (c) from 0.001 to 5 %wt of a compound according to the following formula I



in which R₁ and R₂ are each ~~hydrogen or an alkyl or hydroxyalkyl of 1 to 30~~ 3 to 6 carbon atoms; R₃, R₄ and R₅ are each hydrogen ~~or alkyl or hydroxyalkyl of 1 to 4~~ carbon atoms; X is CH ~~or N~~ and R₆ and R₇ are each ~~hydrogen, an alkyl or alkenyl of 1 to 30~~ 15 to 20 carbon atoms, or an acyl group derived from a saturated or unsaturated carboxylic acid ~~of up to 30~~ containing 4 to 10 carbon atoms, at least one of R₆ and R₇ being an acyl group.

2-3. (Canceled)

- 4. (Previously Presented) The hydraulic fluid of Claim 1, wherein the weight ratio of magnesium salicylate to zinc dithiophosphate ranges from 1:5 to 1:100; and, the weight ratio of magnesium salicylate to the compound of Formula I ranges from an amount greater than 1:0 to 1:50.
- 5. (Currently Amended) A The hydraulic fluid ~~according to~~ of claim 1, which fluid further comprises pour point depressant, anti-foam agent and/or demulsifier.
- 6. (Currently Amended) An additive package for preparing a hydraulic fluid which additive package comprises:

- (a) from 0.001 to 5 at most 1%wt of magnesium salicylate,
- (b) from 0.01 to 8 at most 1%wt of zinc dithiophosphate; and,
- (c) from 0.001 to 5 %wt of a compound according to the following formula I



in which R₁ and R₂ are each ~~hydrogen or an alkyl or hydroxyalkyl of 1 to 30~~ 3 to 6 carbon atoms; R₃, R₄ and R₅ are each hydrogen ~~or alkyl or hydroxyalkyl of 1 to 4~~ carbon atoms; X is CH ~~or N~~ and R₆ and R₇ are each ~~hydrogen, an alkyl or~~

~~alkenyl of 1 to 30~~ 15 to 20 carbon atoms, or an acyl group derived from a saturated or unsaturated carboxylic acid of ~~up to 30~~ containing 4 to 10 carbon atoms, at least one of R₆ and R₇ being an acyl group, wherein the weight ratio of magnesium salicylate to zinc dithiophosphate ranges from 1:5 to 1:100; and, the weight ratio of magnesium salicylate to the compound of Formula I ranges from an amount greater than 1:0 to 1:50.